# CTSO41 TOOLS

For the master mechanic

### Socket Wrenches

Efficient dependable tools for automobiles and service stations. No. 6610





### SOCKET WRENCHES

### ""Designed for Master Mechanics""

KO-KEN series of Super Wrenches are designed by veteran mechanics from years of actual experience in the automotive and airplane repair work. Hence, characteristic features are found to be engineered in every working detail of these wrenches making them the outstanding choice of all Master Mechanics the world over who value Accurate Design and Rugged Dependability in their day-to-day working tools.

#### Guarantee

Ko-ken tools are built to meet the exacting and particular working requirements of professional mechanics. The product of an organization that is committed to the highest quality it is possible to produce. Every tool manufactured and sold by this company has been carefully inspected before leaving the factory and, to best of our knowledge, is free from defects in materials or workmanship. Any tool found to be defective in materials or workmanship will be repaired or replaced cheerfully. Tools which have failed for reasons other than those stated above, or because of abuse, intentional or unintentional, will not be replaced.

### NOTICE

Due to ceaseless progress in production methods, prices, design, finish and materials are subject to change for better service.

### KO-KEN TOOL COMPANY, LTD.

657 ONUKI KITO-MURA OGASA-GUN SHIZUOKA-KEN JAPAN CABLE ADDRESS: "KO-KEN SHIZUOKA". TEL KITO 170

#### KO-KEN SOCKET WRENCHES

# 1/2 SQUARE DRIVE

Federal Specs.: GGG-641d. For Mechanics JIS No.:8490.

Ko-ken sockets are made from chrome molybdenum steel and scientifically heat-treated for proper hardness and toughness. Strong thin walls have maximum clearance. Accurate openings provide a good, snug grip and prevent slippage. All of these are chrome plated.

#### STANDARD SOCKETS



4412~4419. 4409M~4415M



4420~4440. 4416M~4432M



4316~4340. 4312M~4332M.

AM	ERICAN	INCH SIZ	ES A/F		M	ETRIC SIZ	ES		ERICAN METRIC	INCH SIZ	ES A/F				
	ADARD (AGON)	SOCKETS 12-POINT)	DOUBLE					DEEP LENGTH SOCKETS DOUBLE HEXAGON(12-POINT)							
NO.	WRENCH SIZE	LENGTH INCH (MM)	WT. Lbs. (gr)	NO.	WRENCH SIZE	LENGTH INCH (MM)	WT. Lbs. (gr)	NO.	WRENCH SIZE	INCH (MM)	WT. Lbs. (gr)				
4412 3/8"		12% (37mm)	.10(43gr)	4409 M	9mm	12%/4"(37mm)	.09(40gr)	4316	1/2"	3"(76mm)	.22(100gr)				
4414	7/16"	/ (37mm)	.10(43gr)	4410M	10mm	/ (37mm)	.095 (44gr)	4318	9/16"	3"(76mm)	.22(100gr)				
4416	1/2"	√ (37mm)	.11 (50gr)	4411 M	11mm	/ (37mm)	.10(45gr)	4320	5/8"	3" (76mm)	.24 (110gr)				
4418	9/16"	» (37mm)	.12(52gr)	4412M	12mm	√ (37mm)	.10(46gr)	4322	11/16"	3"(76mm)	.31(140gr)				
4419	19/32"	1½"(38mm)	.12(53gr)	4413M	13mm	/ (37mm)	.11(49gr)	4324	3/4"	3"(76mm)	.37 (170gr)				
4420	5/8"	/ (38mm)	.12(56gr)	4414 M	14mm	√ (37mm)	.12(53gr)	4326	13/"	3"(76mm)	.42(190gr)				
4421	21/32 "		.13(60gr)	4415M	15mm	1½"(38mm)	.12(54gr)	4328	7/8"	3"(76mm)	.46(210gr)				
4422	11/16"	/ (38mm)	.16(71gr)	4416M	16mm	√ (38 mm)	.12(57gr)	4330	15/16"	3"(76mm)	.55(250gr)				
4424	3/4"	/ (38mm)	.19(86gr)	4417M	17mm	√ (38mm)	.16( 70gr)	4332	1"	3"(76mm)	.66(300gr)				
4425	25/32"	/ (38mm)	.19(86gr)	4418M	18mm	√ (38mm)	.16(74gr)	4334	11/16"	3"(76mm)	.75 (340gr)				
4426	13/1"	√ (38mm)	.21 (93gr)	4419M	19mm	/ (38mm)	.19(86gr)	4340	11/4"	3"(76mm)	.84 (380gr)				
4428	7/8"	/ (38mm)	. 25 (115 gr)	4420M	20mm	% (38mm)	.20(90gr)	4312M	12mm	3"(76mm)	.20 (90gr)				
4430	15/16"	/ (38mm)	. 28 (125 gr)	4421 M	21mm	/ (38mm)	.22(103gr)	4314 M	14mm	3"(76mm)	. 22 (100 gr)				
4431	31/32"	/ (38mm)	. 31 (140 gr)	4423M	23mm	/ (38mm)	.27(123gr)	4317M	17mm	3"(76mm)	. 29 (130 gr)				
4432	1"	121/32" (42mm)	. 35 (160gr)	4424 M	24mm	/ (38mm)	.29(130gr)	4319M	19mm	3"(76mm)	.37 (170gr)				
4434	11/16"	% (42mm)	.40(180gr)	4425M	25mm	121/32" (42mm)	.35 (160gr)	4321 M	21mm	3"(76mm)	.44 (200gr)				
4436	11/8"	147/64" (44 mm)	.43(195gr)	4426 M	26mm	√ (42mm)	.38(173gr)	4323M	23mm	3"(76mm)	.48 (220gr)				
4440	11/4"	" (44 mm)	.58(262gr)	4427M	27mm	√ (42mm)	.40(180gr)	4326 M	26mm	3"(76mm)	.66 (300gr)				
				4428M	28mm	147/4" (44 mm)	.41(185gr)	4329 M	29mm	3"(76mm)	.77 (350gr)				
				4429M	29mm	% (44 mm)	.43(195gr)	4332 M	32mm	3"(76mm)	.83 (380gr)				
				4432 M	32mm	√ (44 mm)	.55(261gr)								

#### ADAPTERS



3344A~6644A

NO.	FEMALE	MALE	WT. Lbs (gr)
3344 A	3/8"F	½"M	.08(36gr)
4433 A	½"F	3/8"M	.14(65gr)
4466 A	½"F	3/4" M	.34 (152gr)
6644 A	3/4"F	½"M	.44(200gr)

# SCREW DRIVER SOCKETS Used on drag links and large Screws of many assemblies.



4444~4448

NO.	SIZE OF BITS	WT. Lbs (gr)
4444	3/4×0.115"	.16( 73gr)
4446	15/6"×0.154"	
4448	1 3/6"×0.154"	.32(146gr)

#### UNIVERSAL SOCKETS-DOUBLE HEXAGON(12-POINT)



4475~4477 4475M~4477M

NO.	WRENCH SIZE	TOTAL LENGTH	WT. Lbs (gr)
4475 4476	1/2" 9/"	INCH ( MM) 2 ½ (54mm) 2 ½ (58mm)	.25 (113gr) .24 (103gr)
4477	5/8"	2½6"(68mm)	.25 (113gr)
4475 M	12mm	2 1/6" (54mm)	.25 (113gr)
4476M	14mm	21%4" (58mm)	.24 (110gr)
4477 M	17mm	$2\frac{11}{16}''$ (68mm)	. 25 (113gr)

### **KO-KEN SOCKET WRENCHS & HANDLES**

Federal Specs.: GGG-641d. For Master Mechanics JIS No.:8489, 8490.

JAPANESE INDUSTRIAL STANDARD: No. B4636, B4637, B4638, B4639, B4640, B4641.

# 1/2 SQUARE DRIVE

Made from special alloy steel and chrome plated. With the several types available, all kinds of jobs can be handled efficiently.

#### HINGE HANDLES



(NS-12) NO. 4467 HINGE HANDLE, 300mm (12"), 675gr (1.45Lbs) (NS-15) NO. 4468 HINGE HANDLE, 380mm (15"), 870gr (1.92Lbs)

#### SLIDING BAR T HANDLE



(SL-12) NO. 4485 SLIDING BAR T HANDLE, 300mm (12"), 450gr (1Lbs)

#### EXTENSION BARS



(E- 6) NO. 4462 EXTENSION BAR, 150mm ( 6"), 265gr (.58Lbs) (E-10) NO. 4463 EXTENSION BAR, 250mm (10"), 430gr (.95Lbs)

#### SPEED HANDLES



(SH-18) NO. 4480 SPEED HANDLE, 450mm (18"), 750gr (1.65Lbs) (SH-16) NO. 4481 SPEED HANDLE, 400mm (16"), 700gr (1.50Lbs)

#### REVERSIBLE RATCHETS



(RH-10E) NO. 4449 REVERSIBLE RATCHET, 250mm (10"), 610gr (1.35Lbs) (RH-15E) NO. 4450 REVERSIBLE RATCHET, 450mm (15"), 870gr (1.92Lbs)



(RH-10A) NO. 4451 REVERSIBLE RATCHET, 250mm (10"), 500gr (1.1Lbs)



(CW-10T) NO. 4491 CAM WRENCH, 700gr (1.55Lbs)

#### REVERSIBLE RATCHET



(RH-10K) NO. 4454 REVERSIBLE RATCHET, 630gr (1.45Lbs)

#### UNIVERSAL JOINT



(#8) NO. 4470 UNIVERSAL JOINT, 69mm (2%"), 145gr (.32Lbs)

#### PIN HANDLE

(CB-10) NO. 4300 PIN HANDLE, 250mm (10"), 185gr (.41Lbs)

#### RATCHET ADAPTER



(RA-4A) NO. 4455 RATCHET ADAPTER, 64mm (21/2"), 300gr (.66Lbs)






NO.8 SOCKET WRENCH SET (12-POINT)

NO.8M SOCKET WRENCH SET 8PCS. DOUBLE HEX SOCKETS MM SIZE 9, 10, 12, 13, 14, 15, 17, 19. NO. 4485 SLIDING BAR T HANDLE

> METAL BOX. 310mmx95mmx50mm NET WT. 1.4kg (3.1Lbs)

#### KO-KEN SOCKET WRENCH SETS

# 1/2 SQUARE DRIVE



### NO.25 SOCKET WRENCH SET (12-POINT)

10PCS. DOUBLE HEXAGON SOCKETS INCH SIZE.

%", 1/2", 1/4", 1/2", 5/8", 1/4", 3/4", 3/4", 3/4", 1/5/8".

NO. 4467 HINGE HANDLE,

NO. 4485 SLIDING BAR T HANDLE,


NO. 4462 EXTENSION BAR,

METAL BOX:12 1/4" x3 1/4" x2"

### NO.25M SOCKET WRENCH SET (12-POINT)

NET WT: 2.7kg (6Lbs)

10PCS. DOUBLE HEXAGON SOCKETS MM SIZE. 9, 10, 12, 13, 14, 15, 17, 19, 21, 23. NO. 4467 HINGE HANDLE, NO. 4485 SLIDING BAR T HANDLE, NO. 4462 EXTENSION BAR, METAL BOX: 310mmx95mmx50mm.



### NO.20 SOCKET WRENCH SET (12-POINT)

10PCS. DOUBLE HEXAGON SOCKETS INCH SIZE.

%", ½", %", %", %", %", %", 34", 34", 36", 36"

NO. 4467 HINGE HANDLE.

NO. 4300 PIN HANDLE.

METAL BOX: 121%" x3%" x2"

NET WT: 1.94kg (4.3Lbs)

#### NO.20M SOCKET WRENCH SET 10PCS. DOUBLE HEXAGON SOCKETS MM SIZE.

9, 10, 12, 13, 14, 15, 16, 17, 18, 19.

NO. 4467 HINGE HANDLE,

NO. 4300 PIN HANDLE,

METAL BOX: 310mmx95mmx50mm

NET WT: 2.115kg (4.4Lbs)



#### NO.30 SOCKET WRENCH SET

NO. 4468 HINGE HANDLE, NO. 4462 EXTENSION BAR, NO. 4300 PIN HANDLE, METAL BOX: 15¾"x3¾"x2". NET WT: 3.855kg (8.5Lbs)

### NO.30M SOCKET WRENCH SET


13PCS. DOUBLE HEXAGON SOCKETS MM SIZE.
9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 26.
NO. 4449 REVERSIBLE RATCHET, 250mm.
NO. 4468 HINGE HANDLE,
NO. 4462 EXTENSION BAR,
NO. 4300 PIN HANDLE
METAL BOX: 400mmx95mmx50mm.
NET WT: 3.85kg (8, 5Lbs)



NO.45S I.S.O. SOCKET WRENCH SET
(20PCS. 12-POINT. SOCKETS, MM SIZE)
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
21, 22, 23, 24, 25, 26, 27, 30, 32.
NO. 4481 SPEED HANDLE, 400mm.
NO. 4485 SLIDNG BAR T HANDLE
NO. 4451 REVERSIBLE RATCHET.
NO. 4461 EXTENSION BAR, 125mm.
NO. 4463 EXTENSION BAR, 250mm.
NO. 4470 UNIVERSAL JOINT.
METAL BOX: 445mmx190mmx50mm.
NET WT: 6.35kg (14.5Lbs)

#### KO-KEN SOCKET WRENCH SETS

# 1/2 SQUARE DRIVE



### NO.44 GENERAL SOCKET WRENCH SET (12-POINT)

15PCS, DOUBLE HEXAGON SOCKETS INCH SIZE.

38", 76", 12", 96", 182", 58", 186", 34", 782", 186",

7/8", 15/6", 1", 11/8", 11/4".

NO. 4468 HINGE HANDLE.

NO, 4485 SLIDING BAR T HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4449 REVERSIBLE RATCHET.

NO. 4470 UNIVERSAL JOINT.

NO. 4300 PIN HANDLE.

METAL BOX: 1634"x45/"x2".

NET WT: 5.6kg (12.3Lbs)

### NO.44M GENERAL SOCKET WRENCH SET (12-POINT).

15PCS, DOUBLE HEXAGON SOCKETS MM SIZE.

9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 26, 29. 32.

NO. 4468 HINGE HANDLE.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4462 EXTENSION BAR, .

NO. 4463 EXTENSION BAR.

NO. 4449 REVERSIBLE RATCAET.

NO. 4470 UNIVERSAL JOINT.

NO. 4300 PIN HANDLE.

METAL BOX: 415mmx120mmx50mm.

NET WT: 5.6kg (14.2Lbs)

#### NO.46M I.S.O. SOCKET WRENCH SET.

(18PCS, 12-POINT, SOCKETS, MM SIZE)

12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 32.

NO. 4468 HINGE HANDLE.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4481 SPEED HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4451 REVERSIBLE RATCHET.

NO. 4300 PIN HANDLE.

NO. 4470 UNIVERSAL JOINT.

METAL BOX: 445mmx190mmx50mm.

NET WT: 6kg (13.3Lbs)



#### NO.33M I.S.O. SOCKET WRENCH SET

(13PCS, 12-POINT, SOCKETS, MM SIZE)

8, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32.


NO. 4451 REVERSIBLE RATCHET.

NO. 4462 EXTENSION BAR.

NO. 4470 UNIVERSAL JOINT.

METAL BOX: 400m m x95m m x50m m.

NET WT: 3.85kg (8.5Lbs)



#### NO. 44MI I.S.O. SOCKET WRENCH SET

(15PCS, 12-POINT, SOCKETS, MM SIZE)

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32.

NO. 4468 HINGE HANDLE.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4451 REVERSIBLE RATCHET.

NO. 4470 UNIVERSAL JOINT.


NO. 4300 PIN HANDLE.

METAL BOX: 415mmx120mmx50mm.

NET WT: 5.85kg (14.2Lbs)

#### KO-KEN SOCKET WRENCHS & B.S.W. SETS

# 1/2 SQUARE DRIVE



1/2"SQ, DR, 12-POINT, SOCKETS, B. S.W. SIZE.

Item	WRENC	H SIZE	A	В	C	E	L	WT.
NO:	B.S.F.	B.S.W.	inches	inches	inches	inches	inches	Lbs (gr)
4704 W	3/16"	1/8"	. 343"	17/32"	53/"	23/4"	12%4"	.1 (43)
4706 W	1/4"	3/16"	. 448"	9/16"	53/4"	23/4"	12%4"	.1 (43)
4708W	5/16"	1/4"	. 529"	23/32"	7/8"	3/8"	12%4"	.11(50)
4710W	3/8"	5/16"	. 604"	53/4"	7/8"	13/11	11/2"	.12(53)
4712W	7/16"	3/8"	. 715"	31/32"	31/2"	29/11	11/2"	.19(86)
4714 W	1/2"	7/16"	. 825"	1764"	17/64"	47/11	11/2"	.21(93)
4716W	9/16"	1/2"	. 926"	1 1/32"	13/2"	11/16	11/2"	. 28 (105)
4718W	5/8"	9/16"	1.016"	13/8"	1%"	49/11	11/2"	. 35 (160)
4720W	11/16"	5/8"	1.107"	11/32"	11/32"	49/1	11/2"	. 48 (195)
4722 W	3/4"	11/6"	1.207"	1 1/8"	15/8"	27/32"	11/2"	. 58 (262)
4724 W	7/8"	3/4"	1.308"	155/4"	155/4"	11/32"	213/4"	. 74 (320)
4728W	1 "	7/8"	1.489"	23/2"	13/32"	13/16"	213/4"	1.04 (470)

#### NO. 65 KO-KEN SOCKET SET BSW : (10PCS. 12-POINT, SOCKETS & HANDLES)

BSW: ½,"¾", ¼", ½", ¾", ¾", ¼", ½", ½", ½". NO. 4467 HINGE HANDLE. NO. 4300 PIN HANDLE.

METAL BOX: 1234"x31/4"x2".

NET WT: 2kg (4.3Lbs)



#### NO. 67 KO-KEN SOCKET SET BSW :

(14PCS, 12-POINT, SOCKETS & HANDLES) 1/8", 3/6", 1/4", 5/16", 3/8", 7/16", 1/2", 9/6", 5/8", 1/4".

NO. 4468 HINGE HANDLE.

NO. 4300 PIN HANDLE.

NO. 4491 CAM WRENCH.

NO. 4462 EXTENSION BAR.

METAL BOX: 153/4"x3%/"x2".

NET WT: 3kg (6.6Lbs)



#### NO. 71 KO-KEN AF/BSW SOCKET SET

(28PCS. 12-POINT, SOCKETS & HANDLES)

NO. 4470 UNIVERSAL JOINT.

NO. 4491 CAM WRENCH.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4468 HINGE HANDLE.

METAL BOX: 16% "x4%"x2".

NET WT: 7.8kg (17Lbs)

NO. 70 KO-KEN AF/BSW SOCKET SET (27PCS, 12-POINT, SOCKETS & HANDLES)

AF: 1/6", 3/8", 1/2", 3/6", 5/8", 1/4", 1/

NO. 4491 CAM WRENCH.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4467 HINGE HANDLE

METAL BOX: 171/2 "x71/2" x2" -

NET WT: 8kg (17.6Lbs)

#### NO. 74 KO-KEN AF/BSW/MM SOCKET SET (51PCS. 12-POINT, SOCKETS & HANDLES)

MM: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 29, 30.

AF: 38", 16", 12", 16", 182", 38", 116", 34", 18", 156", 1".
BSW: 36", 14", 16", 38", 16", 12", 16", 18", 16".

NO. 4326 136" DEEP SPARK PLUG SOCKET.

NO. 4491 CAM WRENCH.

NO. 4468 HINGE HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

NO. 4481 SPEED HANDLE.

NO. 4485 SLIDING BAR T HANDLE. .

NO. 4470 UNIVERSAL JOINT.

NO. 4300 PIN HANDLE.

METAL BOX: 171/2"x71/2"x2".

NET WT: 11kg (24Lbs)



#### NO. 90 KO-KEN COMB, AF/BSF SOCKET SET

(29PCS. 12-POINT, SOCKETS & HANDLES)

AF: 38", 1/6", 1/2", 3/6", 5/8", 1/6", 3/4", 3/6", 7/8", 1/5/6", 1", 11/6", 11/8", 11/4".

BSW: 3/6", 1/4", 5/6", 3/8", 7/6", 1/2", 9/6", 5/8".

NO. 4491 CAM WRENCH.

NO. 4485 SLIDING BAR T HANDLE.

NO. 4470 UNIVERSAL JOINT.

NO. 4326 1/6" DEEP SPARK PLUG SOCKET.

NO. 4468 HINGE HANDLE.

NO. 4462 EXTENSION BAR.

NO. 4463 EXTENSION BAR.

METAL BOX: 171/2"x71/2"x2". NET WT: 8kg (17.6Lbs)

#### KO-KEN SOCKET WRENCHES AND HANDLES

# 1/4 SQUARE DRIVE



6-POINT 2706 ~2709 2704M~2707M

WRENCH

SIZE

1/2"

1/4"

%"

5/6"

1/2

3/8"

7/6"

1/2

1/4

3/8"

NO.

2706

2707

2708

2709

2710

2711

2712

2714

2716

2708 S

2710 S

2712 S

LENGTH

INCH (MM)

1"(25 mm)

1"(25mm)

1"(25 mm)

1"(25mm)

 $1''(25 \, \text{mm}) \\ 1''(25 \, \text{mm})$ 

1"(25mm)

1"(25mm)

1"(25mm)

1"(25 mm)

1"(25mm)

1"(25 mm)



6-POINT 2710 ~2716 2708M~2712M

WT

Lbs (gr)

022 (10gr)

026 (12gr)

03 (14gr)

036 (16 gr)

036 (16gr)

044 (20 gr)

051 (23gr)

053 (24gr)

055 (25 gr)

048 (22gr)

083 (38gr)

.1 (45gr)



8-POINT 2708S~2712S 2708SM~2710SM

LENGTH

1"(25mm)

1"(25mm)

1"(25 mm)

1"(25mm)

WRENCH

SIZE

4 mm

5 mm

6 mm

7 mm

8 mm

9 mm

10mm

11 mm

12mm

8 mm

10mm

NO.

2704 M

2705 M

2706 M

2707 M

2708 M

2709 M

2710 M

2711 M

2712 M

2708 S M

2710 S M

Midget sockets save time and trouble on little jobs that ordinary sockets can't handle, such as the repair of carburetors, distributors, radios, instruments, etc. They are accurately made from alloy steels for super strength and scientifically heat treated to insure long, dependable service.





(NS-5) NO. 2766 HINGE HANDLE, 125 mm (5"), 75gr (.165Lbs)

SLIDING BAR T HANDLE



053 (24gr)

048 (22gr)

083 (38gr)

WT

03 (14gr) 03 (14gr) 03 (14gr) (BL-5) NO. 2785 SLIDING BAR T HANDLE, 125mm (5"), 85gr (.175Lbs) 036 (16gr) 044 (20gr) 051 (23gr) SPIN TYPE HANDLE



EXTENSION BARS



(BE-2) NO. 2759 EXTENSION BAR, 50mm (2"), 26gr (.056Lbs) (BE-4) NO. 2760 EXTENSION BAR, 100mm (4"), 45gr (.099Lbs) (BE-6) NO. 2761 EXTENSION BAR, 150mm (6"), 65gr (.145Lbs)

SPEED HANDLE



(SH-14) NO. 2780 SPEED HANDLE, 350mm (14"), 260gr (.56Lbs)

(SH-6A) NO. 2768 SPIN TYPE HANDLE, 130mm (6"), 100gr (.22Lbs) (SH-6B) NO. 2769 SPIN TYPE HANDLE, 130mm (6"), 80gr (.175Lbs)

#### REVERSIBLE RATCHET



(RH-5) NO. 2749 REVERSIBLE RATCHET, 125mm (5"), 110gr (.22Lbs)

RATCHET ADAPTER

PIN HANDLE



(CB-4) NO. 2300 PIN HANDLE, 100mm (4"), 20gr (.044Lbs) UNIVERSAL JOINT



(#7) NO. 2770 UNIVERSAL JOINT 31.7mm (11/4"), 26gr (.056Lbs)




(RH-2A) NO. 2750 RATCHET ADAPTER, 33mm  $(1\frac{5}{6}")$ , 100gr (.22Lbs)

#### KO-KEN MIDGET SOCKET WRENCH SETS

## 1/4" SQUARE DRIVE

#### MIDGET SOCKET WRENCH SET






#### NO. 2700 MIDGET SOCKET WRENCH SET

10PCS. MIDGET SOCKETS INCH SIZE 6-POINT: 1/2", 1/4", 1/2", 1/4", 1/2", 3/8", 1/6". 8-POINT: 1/4", 5/6", 3/8". NO. 2766 HINGE HANDLE, 125mm. NO. 2759 EXTENSION BAR, 50mm. METAL BOX: 36"x238"x71/2". NET WT: 0.6kg (1.3Lbs)

#### NO. 2700M MIDGET SOCKET WRENCH SET

10PCS. MIDGET SOCKETS MM SIZE 6-POINT: 5, 6, 7, 8, 9, 10, 11, 12. 8-POINT: 8, 10. NO. 2766 HINGE HANDLE, 125 mm. NO. 2759 EXTENSION BAR, 50mm. METAL BOX: 40mmx60mmx190mm NET WT: 0.6kg (1.3Lbs)

#### STANDARD SOCKET WRENCH SET



#### NO. 2500 STANDARD SOCKET WRENCH SET NO. 2500M STANDARD SOCKET WRENCH SET

10PCS. SOCKETS INCH SIZE 6-POINT: 1/2", 1/4", 9/2", 5/6", 1/2", 3/8", 1/6". 8-POINT: 1/4", 1/6", 3/8".

NO. 2749 REVERSIBLE RATCHET.

NO. 2766 HINGE HANDLE.

NO. 2785 SLIDING BAR T HANDLE.

NO. 2759 EXTENSION BAR.

NO. 2761 EXTENSION BAR.

NO. 2770 UNIVERSAL JOINT.

METAL BOX: 3/6"x23/8"x71/2".

NET WT: 0.7kg (1.6Lbs)

10PCS. SOCKETS MM SIZE

6-POINT: 5, 6, 7, 8, 9, 10, 11, 12.

8-POINT: 8, 9.

NO. 2749 REVERSIBLE RATCHET.

NO. 2766 HINGE HANDLE.

NO. 2785 SLIDING BAR T HANDLE

NO. 2759 EXTENSION BAR.

NO. 2761 EXTENSION BAR.

NO. 2770 UNIVERSAL JOINT.

METAL BOX: 40mmx60mmx190mm

NET WT: 0.7kg (1.6Lbs)

#### SMALL SOCKET WRENCHE SET



#### NO. 2700H SMALL SOCKET WRENCH SET

10PCS. SOCKETS INCH SIZE

6-POINT: ½", ¼", ½", ½", ½", ½", %".

8-POINT: 1/4", 5/6", 3/8".

NO. 2749 REVERSIBLE RATCHET.

NO. 2769 HINGE HANDLE.

NO. 2760 EXTENSION BAR.

NO. 2785 SLIDING BAR T HANDLE.

NO. 2770 UNIVERSAL JOINT.

METAL BOX: % "x23/8" x71/2".

NET WT: 0.65kg (1.3Lbs)

#### NO. 2700HM SMALL SOCKET WRENCH SET

10PCS. SOCKETS MM SIZE

6-POINT: 5, 6, 7, 8, 9, 10, 11, 12.

8-POINT: 8, 9.

NO. 2749 REVERSIBLE RATCHET.

NO. 2769 HINGE HANDLE.

NO. 2760 EXTENSION BAR.

NO. 2785 SLIDING BAR T HANDLE.

NO. 2770 .UNIVERSAL JOINT.

METAL BOX: 40mmx 60mmx190mm

NET WT: 0.65kg (1.3Lbs)

#### KO-KEN SOCKET WRENCHES AND HANDLES

# 3/8 SQUARE DRIVE

Handles and attachments permit a great number of assemblies. The ratchet is light, trouble-free, long-lived and reversible at flip of lever. Hinge handles, noted for strength and versatility, have hole for inserting pin handle to make a tee or ell attachment. The sliding bar handle provides good leverage with the plug at the and or can be used as a tee handle. Speed handles are for fast running of nuts and bolts.

#### STANDARD SOCKETS

#### DEEP LENGTH SOCKETS

UNIVERSAL SOCKETS



12-POINT 3211M~3223M 3216~3228



6-POINT 3206M ~ 3210M 3208 ~ 3214



12-POINT 3009M~3021M 3012 ~3028



12-POINT 3271M~3278M 3271 ~3279

#### STANDARD SOCKETS

#### DEEP LENGTH SOCKETS

#### UNIVERSAL SOCKETS

	AMERI	CAN INCH	SIZES	A	MERICA	N INCH	SIZES	A	AMERICAN INCH SIZES							
NO.	WRENCH SIZE	LENGTH INCH (MM)	WT. Lbs (gr)	NO.	WRENCH SIZE	LENGTH INCH (MM)	WT. Lbs (gr)	NO.	WRENCH SIZE	LENGTH INCH (MM)	WT. Lbs (gr)					
3208	1/4"	1" (25mm)	.05 (23gr)	3012	3/8"	23/4" (52mm)	.08(36gr)	3271	3/8"	125/32" (45mm)	.09(41gr)					
3210	5/6"	1" (25mm)		3014	7/6"		.09(41gr)	3272	7/16"		.09(41gr)					
3212	3/8"	1" (25mm)		3016	1/2"	√ (52mm)	.10(45gr)	3273	1/2"	√ (45 mm)	.10( 45gr)					
3214	7/16"	1" (25mm)	√ (23gr)	3018	9/16"	/ (52mm)	.14(63gr)	3274	%6"	157/4" (48mm)	.11(50gr)					
3216	1/2"	1" (25mm)	.053(24gr)	3020	5/8"	/ (52mm)	.15(68gr)	3275	5/8"	2¾"(51.5mm)						
3218	9/16"	1½" (26mm)	.056(26gr)	3022	11/6"	√ (52mm)	.19(86gr)	3276	11/6"	227/4" (61.5 mm)	.13(59gr)					
3219	19/"	∞ (26mm)	.'066(30gr)	3024	3/4"	√ (52mm)	.21( 95gr)	3277	3/4"	/ (61.5mm)						
3220	5/8"	√ (26mm)	.077(35gr)	3025	25/32"	227/4" (62mm)	.25(113gr)	3278	13/6"	2 <sup>25</sup> / <sub>64</sub> " (64.5 mm)						
3222	11/1"	1½" (27mm)	.088(40gr)	3026	13/6"	∞ (62mm)	.28(127gr)	3279	7/8"	2 <sup>4</sup> / <sub>64</sub> "(67.5 mm)	.22(100gr)					
3224	3/4"	/ (27mm)	.105(48gr)	3028	7/8"	/ (62mm)	.29(132gr)		METR	IC SIZES						
3225	25/32"	√ (27mm)	.12 (55gr)					3271 M	9 mm	125/32" (45mm)	.09(41gr)					
3226	13/"	/ (27mm)	.13 (60gr)					3272 M	10mm		.09(41gr)					
3228	7/8"	√ (27mm)	.143(65gr)					3273 M	12mm		.10(45gr)					
								3274 M	14mm	15% (48mm)	.11(50gr)					
		TRIC SIZES			MET	RIC SIZES		3275 M	17mm	2 <sup>27</sup> / <sub>64</sub> "(61.5 mm)						
3206 M		1" (25mm)	.025(23gr)	3009M	9 mm	23/4"(52mm)	.08(36gr)	3276 M	19mm	/ (61.5mm)						
3208 M	8 mm	1" (25mm)	» (23gr)	3010M	10mm	√ (52 mm)	.09(41gr)	3277 M	21mm	235/4"(64.5 mm)						
3209 M	9 mm	1" (25mm)		3011 M	11 mm		.09(41gr)	3278M	23mm	2 <sup>43</sup> ⁄ <sub>4</sub> "(67.5 mm)						
3210M		1" (25mm)		3012 M	12mm	√ (52mm)	.09(41gr)	ST	ANDA	RD BSW						
3211 M	11 mm	1" (25mm)	.053(24gr)	3013M	13mm	√ (52 mm)	.10(45gr)	NO.	W RENCH SIZE	LENGTH INCH (MM)	WT.					
3212 M	12mm	1" (25mm)	" (24gr)	3014M	14mm	√ (52mm)	.14(63gr)	0704111		1	Lbs (gr)					
3213 M	13mm	1" (25mm)	⋄ (24gr)	3017M	17mm	√ (52 mm)	.19(86gr)	3704 W	1/8"	15/16" (24mm) 1" (25mm)	. 05 (23gr)					
3214 M	14mm	1" (25mm)	.056(26gr)	3018M	18mm	√ (52mm)	.20(90gr)	3706W 3708W	3/16"	1" (25mm) 1" (25mm)	.053(24gr)					
3217 M	17mm	11/32" (26mm)	.088(40gr)	3019M	19mm	√ (52 mm)	.21(95gr)	3710W	1	1½"(26mm)	.066 (30gr)					
3218M	18mm	∞ (26mm)	.105(48gr)	3021 M	21 mm	$2^{27}/4^{\prime\prime}(62\text{mm})$	.29(132gr)	3710W		1½" (26mm)	.106 (48gr)					
3219M	19mm	1½" (27mm)	.11 (50gr)					3714W	7/16"	1½ (27mm)	.13 (60gr)					
3221 M	21mm	√ (27 mm)	.13 (60gr)					3716W	1/2"	1½6" (27mm)	.143 (65 gr)					
3223 M	23mm	∞ (27mm)	.145(65gr)					3718W	9/16"	1½6" (27mm)	.19 (86gr)					

#### **KO-KEN SOCKET WRENCHES & HANDLES**

# 3/8 SQUARE DRIVE

HINGE HANDLES



(NS-10) NO. 3266 HINGE HANDLE, 250mm(10"), 250gr (.55Lbs) (NS-7 ) NO. 3265 HINGE HANDLE, 180mm (7"), 180gr (.39Lbs)

SLIDING BAR T HANDLES



(#9) NO. 3270 UNIVERSAL JOINT 50mm (13/2"), 89 gr (.17Lbs)

UNIVERSAL JOINT





2233A~4433A

ADAPTERS

NO.	FEMALE	MALE	WT. Lbs (gr)
2233 A	1/4" F	3/8" M	.03(13gr)
3322 A	3/8" F	1/4" M	.05(23g r)
3344 A	3/8" F	½"M	.08(36gr)
4433 A	½"F	3/8" M	.14(65gr)


(SL-10) NO. 3285 SLIDING BAR T HANDLE, 250mm (10"), 190gr (.42Lbs)

EXTENSION BARS



NO. 3260 EXTENSION BAR, 80mm (3"), 80gr (.197Lbs) (SE-3) (SE-6) NO. 3261 EXTENSION BAR, 150mm (6"), 105gr (.23Lbs) (SE-10) NO. 3262 EXTENSION BAR, 250mm (10"), 190gr (.42Lbs)

#### SPEED HANDLE



(SH-17) NO. 3281 SPEED HANDLE, 400mm (16"), 900gr (2Lbs)

#### SPIN TYPE HANDLE



(SH-5) NO. 3269 SPIN TYPE HANDLE, 130mm (5"), 140gr (.31Lbs)

#### REVERSIBLE RATCHET



NO. 3249 REVERSIBLE RATCHET, 175mm (7"), 250gr (.55Lbs) (RH-7)

#### PIN HANDLE

NO. 3200 PIN HANDLE

RATCHET ADAPTER




(RH-3A) NO. 3250 RATCHET ADAPTER, 50mm (2"), 150gr (.33Lbs)

#### CAM WRENCH



(CW-7T) NO. 3291 CAM WRENCH, 175mm (7"), 300gr (.65Lbs)



NO. 3200M SOCKET WRENCH SET

12PCS. SOCKETS MM SIZE

6-POINT 6, 8, 9, 10.

12-POINT 11, 12, 13, 14, 17, 18, 19, 21.

NO. 3261 EXTENSION BAR, 150mm.

NO. 3262 EXTENSION BAR, 250mm.

NO. 3266 HINGE HANDLE, 250mm.

NO. 3285 SLIDING BAR T HANDLE, 250mm.

NO. 3269 SPIN TYPE HANDLE, 150mm.

NO. 3249 REVERSIBL RATCHET, 180mm.

METAL BOX: 310mmx95mmx50mm NET WT. 2.2kg (4.85Lbs)

#### NO. 3200 SOCKET WRENCH SET

12PCS. SOCKETS INCH SIZE

6-POINT 1/4", 5/6", 3/8", 3/6".

12-POINT 1/2", 1/6", 1/2", 5/8", 1/4", 3/4", 1/4", 1/8".

NO. 3261 EXTENSION BAR, 150mm.

NO. 3262 EXTENSION BAR, 250mm.

NO. 3266 HINGE HANDLE, 250mm.

NO. 3285 SLIDING BAR T HANDLE, 250mm.

NO. 3269 SPIN TYPE HANDLE, 150mm.

NO. 3249 REVERSIBLE RATCHET, 180mm.

METAL BOX. 12% "x3%" x13%".

NET WT. 2.2kg (4.85Lbs)

#### NO. 3205 KO-KEN COMB, AF/BSW SOCKET SET 22PCS, SOCKETS & HANDIES.

BSW: 12-POINT: 3/6", 1/4", 5/6", 3/8", 1/6", 1/2".

AF : 6-POINT: ¼", ½", ½", ½". AF : 12-POINT: ½", ½", ½", ½", ½", ¾", ½".

NO. 3291 CAM WRENCH.

NO. 3285 SLIDING BAR T HANDLE.

NO. 3269 SPIN TYPE HANDLE.

NO. 3266 HINGE HANDLE.

NO. 3262 EXTENSION BAR.

METAL BOX: 121/6"x31/4"x11/8".

NET WT: 2.2kg (4.85Lbs)

#### KO-KEN HEAVY-DUTY SOCKETS & HANDLES

# 3/4 SQUARE DRIVE

These sturdy fine alloy steel tools are used by mechanics and industrial workers who need strength, power, speed and safe operation on really tough jobs. They are essential for the maintenance and installation of heavy machinery and for the repair of trucks, buses, automobiles, tractors and farm implements. An outstanding feature of these sockets, which saves time and money, is their extra strength.



HEAVY DUTY SOCKETS, 12-POINT

NO.	SIZE	LENGTH INCH (MM)	WT. Lbs (gr)
6528	7/8"	1 31/32" (50mm)	.485( 220g r)
6530	15/"	2 3/4" (52mm)	.50 ( 225gr)
6531	31/"	" (")	.51 ( 230gr)
6532	1"	" (")	.53 ( 240g r)
6534	1 1/6"	"(")	.53 ( 240g r)
6536	1 1/8"	"(")	.57 ( 260g r)
6538	1 3/6"	2 3/2" (53mm)	.62 (280gr)
6540	1 1/4"	2 11/4" (55mm)	.64 (290gr)
6542	1 5/16"	2 134" (56mm)	.71 ( 320g r)
6544	1 3/8"	" (")	.82 (370gr)
6548	1 1/2"	2 ½" (58mm)	.91 (410gr)
6550	1 %6"	" (")	1.04 (470gr)
6552	1 5/8"	2 7/6" (62mm)	1.06 (480gr)
6554	1 1/6"	2 31/4" (63mm)	1.26 (570gr)
6556	1 3/4"	2 ½" (66mm)	1.39 (630gr)
	1 13/11	// ( // )	/ (630gr)
6558	1 7/8"	2 3/4" (70mm)	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
6560		2 5%4" (72mm)	1.5 (680gr)
6564		2 % (72mm) 2 % (75mm)	1.9 (860gr)
6568	2 1/8" 2 3/6"		2.04 (940gr)
6570	2 1/4"	3" (76mm) 3 5/4" (78mm)	3.0 (1350g r)
6572	2 74	3 ½" (80mm)	3.94 (1780gr)
6576	2 3/8"		4.2 (1900gr)
6580	2 ½"	3 <sup>31</sup> / <sub>32</sub> "(88.5mm)	4.9 (2200gr)
6521 M	21mm	1 31/2" (50mm)	.485 ( 220g r )
6523 M	23mm	2 ¾4" (52mm)	.5 (225gr)
6526 M	26mm	√ (52mm)	.53 ( 240g r )
6528M	28mm	√ (52mm)	.55 ( 250g r)
6529 M	29mm		.57 (260gr)
6531 M	31mm	/ (52mm)	.64 (290gr)
6532 M	32mm	2 ½6" (55mm)	.66 (300gr)
6534 M	34mm	√ (55mm)	.74 ( 320g r)
6535 M	35mm	2 ¾" (56mm)	.84 (370gr)
6536 M	36mm	/ (56mm)	1.04 (470g r)
6538 M	38mm	2 ½" (58mm)	" (470gr)
6541M	41mm	2 25/4" (61 mm)	1.08 (480gr)
6542M	42mm	/ (61mm)	1.15 ( 520g r)
6546 M	46mm	2 %16" (65mm)	1.5 (680gr)
6550 M	50mm	2 5% (72mm)	2.04 (940gr)
6552 M	52mm	/ (72mm)	2.2 (1000gr)
6554 M	54mm	2 % (75mm)	2.5 (1130g r)
6558 M	58mm	3 " (78mm)	2.85 (1300gr)
6563 M	63mm	3 %4" (80mm)	3.3 (1500g r)

ADAPTER



(A-10)

NO. 4466A ADAPTER,  $\frac{1}{2}$ " FEMALE,  $\frac{3}{4}$ " MALE, 38mm (1 $\frac{1}{2}$ "), 152gr (.34Lbs)

SCREW DRIVER SOCKET



(HDR-30)

NO. 6644. SCREW DRIVER SOCKET, 1%" BIT, ¼" SIZE, 235gr (.52Lbs)

#### HINGE HANDLE




(NS-18) NO. 6668 HINGE HANDLE, 450mm (18"), 1.57kg (3.5Lbs)

SLIDING BAR T HANDLE



(L-20) NO. 6685 SLIDING BAR T HANDLE, 500mm (20"), 1.57kg (3.5Lbs)

EXTENSION BARS



(LH-3) NO. 6660 EXTENSION BAR, 80mm (3"), 450gr (1Lbs) (LH-8) NO. 6661 EXTENSION BAR, 200mm (8"), 910gr (2Lbs) (LH-16) NO. 6663 EXTENSION BAR, 400mm (16"), 1,680gr (3.7Lbs)

#### REVERSIBLE RATCHET



(RH-18B) NO. 6649 REVERSIBLE RATCHET, 450mm (18"), 2.4kg (5.3Lbs)

UNIVERSAL JOINT



(#20) NO. 6670 UNIVERSAL JOINT, 100mm (35/6"), 450gr (1Lbs)

PIN HANDLE


NO. 6300 PIN HANDLE, 380mm (15"), 265gr (.58Lbs)

### KO-KEN HEAVY-DUTY SOCKET WRENCH SETS

# 3/4" SQUARE DRIVE

INCH SETS

MM SETS



NO.120 H.D. BASIC SET
(12-POINT)

8PCS. DOUBLE HEX SOCKETS INCH SIZE.

1½6", 1½6", 1¾6", 1¼4", 1¾6", 1½6", 1½1", 1½8".

NO. 6685 SLIDING BAR T HANDLE

NO. 6661 EXTENSION BAR 200 mm

METAL BOX. 20½8"x8½"x2¾".


NET WT. 6kg (13.3Lbs)

(12-POINT)

77PCS. DOUBLE HEX SOCKETS MM SIZE.
26, 29, 32, 35, 38, 41, 46.
NO. 6685 SLIDING BAR T HANDLE
NO. 6661 EXTENSION BAR 200mm
METAL BOX. 530mmx225mmx70mm.

NET WT. 7.4kg (16.3Lbs)

NO.120M H.D. BASIC SET



NO.150 H.D. STANDARD SET
(12-POINT)

10PCS. DOUBLE HEXSOCKETS INCH SIZE.

1½6", 1½", 1½", 1½", 1½", 1½", 1½", 1½", 1¾", 1¾", 1½", 1½".

NO. 6685 SLIDING BAR T HANDLE

NO. 6661 EXTENSION BAR 200mm.

NO. 6663 EXTENSION BAR 400mm.


NO. 6644 SCREW DRIVER SKT.

METAL BOX. 21"x5½"x4½".

NET WT. 11.5kg (25Lbs)

NO.150M H.D. STANDARD SET (12-POINT)

10PCS. DOUBLE HEX SOCKETS MM SIZE.
26, 29, 31, 32, 34, 35, 36, 38, 41, 46.
NO. 6685 SLIDING BAR T HANDLE
NO. 6661 EXTENSION BAR 200mm.
NO. 6663 EXTENSION BAR 400mm.
NO. 6644 SCREW DRIVER SKT.
METAL BOX. 550mmx140mmx110mm.
NET WT. 11kg (24.1Lbs)



NO.260 H.D. UTILITY SET
(12-POINT)

18PCS. DOUBLE HEX SOCKETS INCH SIZE.

1/2", 1/4"

NO.260M H.D. UTILITY SET (12-POINT)

(12-POINT)

13PCS. DOUBLE HEX SOCKETS MM SIZE.
21, 23, 26, 29, 31, 32, 34, 35, 36,
38, 41, 46, 50.

NO. 6685 SLIDING BAR T HANDLE
NO. 6669 REVERSIBLE RATCHET
NO. 6660 EXTENSION BAR 80mm.
NO. 6661 EXTENSION BAR 220mm.
NO. 6663 EXTENSION BAR 400mm.
NO. 6644 SCREW DRIVER SKT.
NO. 6670 UNIVERSAL JOINT
METAL BOX. 570mmx225mmx110mm.
NET WT. 16.6kg (36.7Lbs)



(12-POINT)

22PCS. DOUBCE HEX SOCKETS INCH SIZE.

1/8", 1/8", 1/8", 1/4", 1/8", 1/8", 1/8", 1/4", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 1/8", 2/4".

NO. 6660 EXTENSION BAR 80mm

NO. 6661 EXTENSION BAR 200mm

NO. 6663 EXTENSION BAR 400mm

NO. 6685 SLIDING BAR T HANDLE

NO. 6649 REVERSIBLE RATCHET

NO. 6670 UNIVERSAL JOINT

METAL BOX. 26"x9\4"x4\4".

NO.290 H.D. GENERAL SET

NET WT. 24kg (53Lbs)

(12-POINT)


16PCS. DOUBLE HEX SOCKETS MM SIZE.
21, 23, 26, 29, 31, 32, 34, 35, 36, 38,
41, 46, 50, 54, 58, 63.
NO. 6660 EXTENSION BAR 80mm.
NO. 6661 EXTENSION BAR 200mm.
NO. 6663 EXTENSION BAR 400mm.
NO. 6685 SLIDING BAR T HANDLE.
NO. 6649 REVERSIBLE RATCHET.
NO. 6670 UNIVERSAL JOINT
METAL BOX. 660mmx235mmx110mm.
NET WT. 20kg (44Lbs)

NO.290M H.D. GENERAL SET

#### KO-KEN HEAVY-DUTY SOCKETS & HANDLES

### 1"SQUARE DRIVE

(25.4mm sg.dr)



#### HEAVY DUTY 12POINT SOCKETS

	NO.	Α	В	C	E	L	WT.
	110.	mm	inches	inches	inches	inches	Lbs (gr)
	8735 M	35	2 3/32	2 1/64	1 1/2	2 15/32	1.32(600)
	8738 M	38	2 13/64	2 3/2	1 11/32	2 35/64	1.54( 700)
	8741 M	41	2 3/8	2 3/32	1 11/32	2 43/4	1.76( 800)
	8746 M	46	2 7/16	2 1/8	1 3/8	2 5/4	2.2 (1,000)
	8750 M	50	2 11/16	2 15/32	1 3/8	3 1/32	2.87(1,300)
	8754 M	54	2 11/16 2 27/32	2 ½ 32 2 ½ 6	1 37/64	3 1/64	3.3 (1.500)
	8755 M	55	2 61/64	2 1/16	1 37/64	3 5/32	3.44(1,570)
	8758 M	58	3 1/32	2 55/64	1 37/64	3 17/64	3.52(1,600)
	8760 M	60	3 5/32	3	1 25/32	3 25/64	4.15(1,900)
	8763 M	63	3 5/16	3 1/16	1 25/32	3 1/32	4.62(2,100)
	8765 M	65	3 27/64	3 1/16	1 31/32	3 35/64	5. 25 (2, 400)
	8767 M	67	3 1/2	3 5/32	1 31/32	3 21/32	5.7 (2,600)
	8770 M	70	3 43/64	3 1/32	1 31/32	3 25/32	6.1 (2,800)
	8771 M	71	3 5/64	3 1/32	1 31/32	3 55/64	6.6 (3,000)
	8775 M	75	4 3/16	3 5/16	2 13/64	3 31/32	7.0 (3,200)
	8780 M	80	4 1/2	3 5/8	2 1/32	4 3/16	7.6 (3,500)
	NO.	Α	В	C	E	L	WT.
	110.	mm	inches	inches	inches	inches	Lbs (gr)
	8746	1 1/16	2 1/8	1	1 1/16	2 15/32	1.19( 540)
	8748	1 1/2	2 1/4	1 3/32	1 1/16	2 35/64	1.43(650)
	8752	1 1/8	2 3/8	1 1/32	1 1/4	2 43/64	1.5 ( 680)
	8758	1 13/16	2 1/8	1 1/8	1 3/8	2 55/64	2.2 (1,000)
	8760	1 1/8	2 33/64	1 1/8	1 3/8	2 27/32	2.2 (1,000)
	8764	2	2 11/16	1 2%	1 3/8	3 1/32	2.65(1,200)
1	8768	2 1/8	2 27/32	1 31/32	1 37/64	3 1/64	3. 09 (1, 400)
	8770	2 3/16	2 61/64	1 47/64	1 37/64	3 5/32	3.5 (1,600)
	8772	2 1/4	3 1/32	1 51/64	1 37/64	3 17/64	3.6 (1,900)
	8776	2 3/8	3 5/32	1 15/16	1 25/32	3 2 3/4	4.4 (2,000)
	8780	2 1/2	3 5/16	2 3/64	1 25/32	3 15/32	4.85(2,200)
	8784	2 5/8	3 1/2	2 5/32	1 3/32	3 21/32	5.06(2,300)
L	8788	2 3/4	3 1/64	2 1/16	1 31/32	3 25/32	6.2 (2,810)

#### HEAVY DUTY HANDLES

(SL-22) NO. 8985 SLIDING BAR T HANDLE, 550mm (22"), 3.5kg (7.8Lbs) (EXD-8) NO. 8961 EXTENSION BAR, 200mm (8"), 1.5kg (3.38Lbs) (EXD-16) NO. 8962 EXTENSION BAR, 800mm (16"), 2.6kg (5.86Lbs) (#20) NO. 8970 UNIVERSAL JOINT, 140mm (5½"), 1.1kg (2.43Lbs) (RH-32) NO. 8949 REVERSIBLE RATCHET, 800mm (32"), 4kg (8.8Lbs) (A-11) NO. 8924 ADAPTER, 1"Fx ¾"M, 60mm (2¾"), 500gr (1.1Lbs)

#### HEAVY DUTY SOCKET WRENCH SETS

NO.800M (8pcs, 12-point, Sockets, MM Size)
35mm, 38mm, 41mm, 46mm, 50mm, 54mm, 58mm, 63mm.
NO. 8985 SLIDING BAR T HANDLE.
NO. 8961 EXTENSION BAR.
NO. 8962 EXTENSION BAR.
NO. 8970 UNIVERSAL JOINT.
METAL BOX, 600mmx115mmx150mm.
NET WT. 23kg (50.7Lbs)

NO.800 (8pcs, 12-point, Sockets, Inch Size)  $1\frac{1}{16}$ ",  $1\frac{1}{2}$ ",  $1\frac{1}{8}$ ",  $1\frac{1}{16}$ ",  $2\frac{1}{2}$ ",  $2\frac{1}{8}$ ",  $2\frac{1}{4}$ ",  $2\frac{1}{2}$ ". NO. 8985 SLIDING BAR T HANDLE. NO. 8961 EXTENSION BAR. NO. 8962 EXTENSION BAR. NO. 8970 UNIVERSAL JOINT. METAL BOX,  $23\frac{1}{8}$ "x $4\frac{1}{12}$ "x6". NET WT. 23kg (50.7Lbs)

NO.900M (8pcs, 12-point, Sockets, MM Size)
35mm, 38mm, 41mm, 46mm, 50mm, 54mm, 58mm, 63mm.
NO. 8985 SLIDING BAR T HANDLE,
NO. 8949 REVERSIBLE RATCHET,
NO. 8961 EXTENSION BAR,
NO. 8962 EXTENSION BAR,
NO. 8970 UNIVERSAL JOINT,
METAL BOX, 600mmx115mmx150mm.
NET WT, 27kg (59.5lbs)

NO.900 (8pcs, 12-point, Sockets, Inch Size) 11/16", 11/2", 11/8", 11/16", 2", 21/8", 21/4", 21/2".

NO. 8985 SLIDING BAR T HANDLE,

NO. 8949 REVERSIBLE RATCHET,

NO. 8961 EXTENSION BAR,

NO. 8962 EXTENSION BAR,

NO. 8970 UNIVERSAL JOINT,

METAL BOX. 231/8"x41/2"x6".

NET WT. 27kg (59.5Lbs)


NO.850M (11pcs, 12-point, Sockets, MM Size)
46mm, 50mm, 54mm, 55mm, 58mm, 60mm, 63mm,
65mm, 67mm, 70mm, 71mm.
NO. 8985 SLIDING BAR T HANDLE,
NO. 8949 REVERSIBLE RATCHET,
NO. 8961 EXTENSION BAR,
NO. 8962 EXTENSION BAR,
NO. 8924 ADAPTER 1"Fx¾"M.
METAL BOX. 600mmx115mmx150mm.
NET WT. 32kg (70Lbs)



# comparative table of international bolt, nut and screw sizes.

when ordering your KO-KEN wrenches always specify the dimensions across flats. owing to the numerous bolt-size systems in use the diameter of the bolt alone is not a sufficient indication.

Г			_	MI	ETRIC	SYST	EM								EI	NGLISH	SYSTEM											AMER	RICAN	SYSTE	EM		-		
				Diam	eter o	f Bolt	1							ameler f Bolt						Dia	meter	of B	olt			Diameter of Bolt									
s flats	Fran	ice	Gerr	папу		Swed	len		Non	way			(	Great ritain						Great U.S.	at Brit	tain ada					U.S.A.								
across	Afn	or	Dir	1		Sı	ms		Denn	nark	Dimer	nsions	BSW BSF BA Dimensions		Unified System BS 192-1954					Dimer	isions	American Standard													
	NF-E-27311 February 1930	PN-E-27311 March 1959	Metric	Whitworth	Metric	Metric	Whitworlh	Whitworlh	Metric	Whitworth	acro		Original Whitworth BS-28 and 190		a a rang		Heavy Series		Regular Series Special Series		Special Series Bolts and Nuts		across		Heavy Series			Regular Series		Square Head Screws	Square Head Long Bolt	Special Nuts			
шш	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Bolts and Nuts	Inches	mm	Boits and Nuts	Bolts and Nuts	Bolts and Nuts	Inches	mm	Bolts	Nuts	Bolts	Nuts	Screws	Machine-made Nuts	Standard Nuts	Inches	mm	Bolts	Nuts	Bolts	Nuts	Nuts	Screws	Bolts	Nuts	
8	5	5			5	4			4		0. 324	8. 23			2	11/32	8.73							8	11 / 32	8.73								8	
		J		-/	J		-				0.338	8. 64	1/8	3 /16																		0.12			
9	5.5	6	5	3/16	6	5			5	7	0. 365	9. 27		7 /32	0	3/8	9. 53							10	3/8	9. 53			1/4			3/8	1/4	10	
10	0				0				6		0.410	10. 44		1/02	0											10. 32								12	
11		7	7	1/4	7	6	1/4		7	1/4	0.445	11. 30	3/16	1/4		7/16	11.11			1/4	1/4		1/4	1/4	7 / 16	11.11				1/4	1/4	7/16		14	
12	7				8											1/2	12.7			5/16	5/16		5 / 16		1/2	12.7		1/4	5/16		5/16	1/2	5/16		
13		8		. /			5/16	1/4		- /	0. 525	13.33	1/4	5/16		9 / 16	14. 29			3/8	3/8		3/8	5/16	9 / 16	14. 29			3/8	5/16	3/8	9/16	3/8	5/16	
14	8		8	5/16	10	8	2/0	E /10	8	5/16	0, 600	15.04	E /10	2/0											10 / 20	15 00		E / 10							
16	9	-			10		3/8	3/10			0.000	15. 24	3/10	3/8		5/8	15. 88			7/16				3/8	19 / 32	15. 08 15. 88		5 / 16		3/8	7/16	5/8	7/16	3/8	
17	10	10	10	3/8		10			9							11/16					7/16			0,0	11 / 16	17. 46		3/8			7710				
18					12		7/16	3/8	10		0.710	18. 03	3/8	7/16																					
19	11	12	12	7/16					11	7/16						3/4	19. 05			1/2	1/2				3/4	19. 05			1/2	7/16	1/2	3/4	1/2		
20											0.820	20.83	7 /16	1/2	*							5			25 / 32	19.84				-					
21	12				14		1/2	7/16								13/16	20.64			9/16					13 / 16	20.64				1/2					
22		14	14	1/2		12 14			12 14	1/2						7/8	22. 23	1/2	1/2		9/16				7/8	22. 23	1/2	1/2	9/16	9/16	9/16	7/8	9/16		
23	14							1/2			0.920	23. 34	1/2	9/16		15/16	23. 81			5/8	5/8				15 / 16	23. 81	9 / 16	9/16	5/8		5/8		5/8		
24		16	16		16		5/8				1.010	25. 65	9 /16	5/8		1	25.4								1	25. 4				5/8		1			
25	16																				-														
27		18	18	5/8	18	16			16	5/8						1 1/16	26. 99	5/8	5/8						1 1/16	26. 99	5/8	5/8			3/4				
28	-						3/4	5/8			1.100	27.94	5/8	11/16		1 1/8	28.56			3/4	3/4				1 1/8	28. 58			3/4	3/4	*	11/8	3/4		
30	18	20	20		20						1 200	30. 48	11/16	3/A											1 3/16	30 16									
32	20	22		3/4		18			18	3/4		UU. TU	11/10	0/4		11/4	31.75	3/4	3/4						1 1/4	31.75	3 / 4	3/4			7/8	11/4			
33				9, 4		20	7/8	3/4	20	200	1.300	33. 02	3/4	7/8		1 5/16		5/4		7/8	7 / 9				1 5/16		7, 7			7/8			7/8		
34					29		. 70	7								. 0710	00.07			0	170							The second	. / 0	7 7 0					
35	22										1.390	35. 30	13/16	15/16											1 3/8	34. 93						1 3/8			
36		24	24	7/8		22 24			22 24	7/8						1 7/16	36. 51	7/8	7/8						1 7/16	36. 51	7/8	7/8			1				
37							1	7/8			1.480	37.59	7/8	1																					
38	24	-					1		-			40.10	40.00			11/2				1	1					38.10			1	1		11/2	1		
41		27	27	1		27			27	]	1.580	40.13	15/16	1 1/16		15/8	41.28	1	1						1 5/8 1 11/16		1	1	11/0	11/8	1 1/8		11/8		
42	27				7		1 1/8	1			1.670	42.42	1	11/8											1 3/4	44. 45			1 1/0	11/8			11/0		
46	30	30	30	11/8		30			30	1 1/8						1 13/16	46.04	11/8	1 1/8						1 13/16		11/8	1 1/8			11/4				
47						-	1 1/4	1 1/8			1.860	47.24	1 1/8	1 1/4											1 7/8	47.63		_		11/4			1 1/4		
50	33	33	33	1.1/4		33			33	1 1/4						2	50.8	11/4	11/4						2	50.8	11/4	11/4			1 3/8		- 1		



# KO-KEN TOOL CO., LTD.